


# OSK8231&8232-1



<b>Thickness</b>	4.0mm - 8.0mm
<b>Wear layer</b>	0.3mm (12mil) 0.5mm (20mil)
<b>Padding</b>	1.0mm / 1.5mm IXPE
<b>Edge Profile</b>	Micro Bevel / Painted bevel
<b>Finish</b>	Antique Wood Texture
<b>Protect</b>	Stain & scratch resistance



# OSK8231&8232-2



<b>Thickness</b>	4.0mm - 8.0mm
<b>Wear layer</b>	0.3mm (12mil) 0.5mm (20mil)
<b>Padding</b>	1.0mm / 1.5mm IXPE
<b>Edge Profile</b>	Micro Bevel / Painted bevel
<b>Finish</b>	Antique Wood Texture
<b>Protect</b>	Stain & scratch resistance






## OSK8231&8232-3



<b>Thickness</b>	4.0mm - 8.0mm
<b>Wear layer</b>	0.3mm (12mil) 0.5mm (20mil)
<b>Padding</b>	1.0mm / 1.5mm IXPE
<b>Edge Profile</b>	Micro Bevel / Painted bevel
<b>Finish</b>	Antique Wood Texture
<b>Protect</b>	Stain & scratch resistance





## OSK8231&8232-4




---

<b>Thickness</b>	4.0mm - 8.0mm
<b>Wear layer</b>	0.3mm (12mil) 0.5mm (20mil)
<b>Padding</b>	1.0mm / 1.5mm IXPE
<b>Edge Profile</b>	Micro Bevel / Painted bevel
<b>Finish</b>	Antique Wood Texture
<b>Protect</b>	Stain & scratch resistance

---



# OSK8230-1




<b>Thickness</b>	4.0mm - 8.0mm
<b>Wear layer</b>	0.3mm (12mil) 0.5mm (20mil)
<b>Padding</b>	1.0mm / 1.5mm IXPE
<b>Edge Profile</b>	Micro Bevel / Painted bevel
<b>Finish</b>	Antique Wood Texture
<b>Protect</b>	Stain & scratch resistance





# OSK8230-3



<b>Thickness</b>	4.0mm - 8.0mm
<b>Wear layer</b>	0.3mm (12mil) 0.5mm (20mil)
<b>Padding</b>	1.0mm / 1.5mm IXPE
<b>Edge Profile</b>	Micro Bevel / Painted bevel
<b>Finish</b>	Antique Wood Texture
<b>Protect</b>	Stain & scratch resistance



# OSK8222-1



<b>Thickness</b>	4.0mm - 8.0mm
<b>Wear layer</b>	0.3mm (12mil) 0.5mm (20mil)
<b>Padding</b>	1.0mm / 1.5mm IXPE
<b>Edge Profile</b>	Micro Bevel / Painted bevel
<b>Finish</b>	Antique Wood Texture
<b>Protect</b>	Stain & scratch resistance



# OSK8222-3



<b>Thickness</b>	4.0mm - 8.0mm
<b>Wear layer</b>	0.3mm (12mil) 0.5mm (20mil)
<b>Padding</b>	1.0mm / 1.5mm IXPE
<b>Edge Profile</b>	Micro Bevel / Painted bevel
<b>Finish</b>	Antique Wood Texture
<b>Protect</b>	Stain & scratch resistance



# OSK8222-4



<b>Thickness</b>	4.0mm - 8.0mm
<b>Wear layer</b>	0.3mm (12mil) 0.5mm (20mil)
<b>Padding</b>	1.0mm / 1.5mm IXPE
<b>Edge Profile</b>	Micro Bevel / Painted bevel
<b>Finish</b>	Antique Wood Texture
<b>Protect</b>	Stain & scratch resistance




# OSK8216-1



<b>Thickness</b>	4.0mm - 8.0mm
<b>Wear layer</b>	0.3mm (12mil) 0.5mm (20mil)
<b>Padding</b>	1.0mm / 1.5mm IXPE
<b>Edge Profile</b>	Micro Bevel / Painted bevel
<b>Finish</b>	Antique Wood Texture
<b>Protect</b>	Stain & scratch resistance




# OSK8216-2



<b>Thickness</b>	4.0mm - 8.0mm
<b>Wear layer</b>	0.3mm (12mil) 0.5mm (20mil)
<b>Padding</b>	1.0mm / 1.5mm IXPE
<b>Edge Profile</b>	Micro Bevel / Painted bevel
<b>Finish</b>	Antique Wood Texture
<b>Protect</b>	Stain & scratch resistance



# OSK8216-4



<b>Thickness</b>	4.0mm - 8.0mm
<b>Wear layer</b>	0.3mm (12mil) 0.5mm (20mil)
<b>Padding</b>	1.0mm / 1.5mm IXPE
<b>Edge Profile</b>	Micro Bevel / Painted bevel
<b>Finish</b>	Antique Wood Texture
<b>Protect</b>	Stain & scratch resistance




# OSK8215-1



<b>Thickness</b>	4.0mm - 8.0mm
<b>Wear layer</b>	0.3mm (12mil) 0.5mm (20mil)
<b>Padding</b>	1.0mm / 1.5mm IXPE
<b>Edge Profile</b>	Micro Bevel / Painted bevel
<b>Finish</b>	Antique Wood Texture
<b>Protect</b>	Stain & scratch resistance




# OSK8215-2



<b>Thickness</b>	4.0mm - 8.0mm
<b>Wear layer</b>	0.3mm (12mil) 0.5mm (20mil)
<b>Padding</b>	1.0mm / 1.5mm IXPE
<b>Edge Profile</b>	Micro Bevel / Painted bevel
<b>Finish</b>	Antique Wood Texture
<b>Protect</b>	Stain & scratch resistance



# OSK8215-3



<b>Thickness</b>	4.0mm - 8.0mm
<b>Wear layer</b>	0.3mm (12mil) 0.5mm (20mil)
<b>Padding</b>	1.0mm / 1.5mm IXPE
<b>Edge Profile</b>	Micro Bevel / Painted bevel
<b>Finish</b>	Antique Wood Texture
<b>Protect</b>	Stain & scratch resistance



# OSK8215-4




<b>Thickness</b>	4.0mm - 8.0mm
<b>Wear layer</b>	0.3mm (12mil) 0.5mm (20mil)
<b>Padding</b>	1.0mm / 1.5mm IXPE
<b>Edge Profile</b>	Micro Bevel / Painted bevel
<b>Finish</b>	Antique Wood Texture
<b>Protect</b>	Stain & scratch resistance





# OSK8070-1




<b>Thickness</b>	4.0mm - 8.0mm
<b>Wear layer</b>	0.3mm (12mil) 0.5mm (20mil)
<b>Padding</b>	1.0mm / 1.5mm IXPE
<b>Edge Profile</b>	Micro Bevel / Painted bevel
<b>Finish</b>	Antique Wood Texture
<b>Protect</b>	Stain & scratch resistance






# OSK8070-4



<b>Thickness</b>	4.0mm - 8.0mm
<b>Wear layer</b>	0.3mm (12mil) 0.5mm (20mil)
<b>Padding</b>	1.0mm / 1.5mm IXPE
<b>Edge Profile</b>	Micro Bevel / Painted bevel
<b>Finish</b>	Antique Wood Texture
<b>Protect</b>	Stain & scratch resistance



# OSK8071-2



<b>Thickness</b>	4.0mm - 8.0mm
<b>Wear layer</b>	0.3mm (12mil) 0.5mm (20mil)
<b>Padding</b>	1.0mm / 1.5mm IXPE
<b>Edge Profile</b>	Micro Bevel / Painted bevel
<b>Finish</b>	Antique Wood Texture
<b>Protect</b>	Stain & scratch resistance




# OSK8071-3



<b>Thickness</b>	4.0mm - 8.0mm
<b>Wear layer</b>	0.3mm (12mil) 0.5mm (20mil)
<b>Padding</b>	1.0mm / 1.5mm IXPE
<b>Edge Profile</b>	Micro Bevel / Painted bevel
<b>Finish</b>	Antique Wood Texture
<b>Protect</b>	Stain & scratch resistance




# OSK8071-6



<b>Thickness</b>	4.0mm - 8.0mm
<b>Wear layer</b>	0.3mm (12mil) 0.5mm (20mil)
<b>Padding</b>	1.0mm / 1.5mm IXPE
<b>Edge Profile</b>	Micro Bevel / Painted bevel
<b>Finish</b>	Antique Wood Texture
<b>Protect</b>	Stain & scratch resistance



# OSK8076-9



<b>Thickness</b>	4.0mm - 8.0mm
<b>Wear layer</b>	0.3mm (12mil) 0.5mm (20mil)
<b>Padding</b>	1.0mm / 1.5mm IXPE
<b>Edge Profile</b>	Micro Bevel / Painted bevel
<b>Finish</b>	Antique Wood Texture
<b>Protect</b>	Stain & scratch resistance



# OSK8076-12




<b>Thickness</b>	4.0mm - 8.0mm
<b>Wear layer</b>	0.3mm (12mil) 0.5mm (20mil)
<b>Padding</b>	1.0mm / 1.5mm IXPE
<b>Edge Profile</b>	Micro Bevel / Painted bevel
<b>Finish</b>	Antique Wood Texture
<b>Protect</b>	Stain & scratch resistance





# OSK8076-15



<b>Thickness</b>	4.0mm - 8.0mm
<b>Wear layer</b>	0.3mm (12mil) 0.5mm (20mil)
<b>Padding</b>	1.0mm / 1.5mm IXPE
<b>Edge Profile</b>	Micro Bevel / Painted bevel
<b>Finish</b>	Antique Wood Texture
<b>Protect</b>	Stain & scratch resistance




# OSK8201-1



<b>Thickness</b>	4.0mm - 8.0mm
<b>Wear layer</b>	0.3mm (12mil) 0.5mm (20mil)
<b>Padding</b>	1.0mm / 1.5mm IXPE
<b>Edge Profile</b>	Micro Bevel / Painted bevel
<b>Finish</b>	Antique Wood Texture
<b>Protect</b>	Stain & scratch resistance



# OSK8201-2



<b>Thickness</b>	4.0mm - 8.0mm
<b>Wear layer</b>	0.3mm (12mil) 0.5mm (20mil)
<b>Padding</b>	1.0mm / 1.5mm IXPE
<b>Edge Profile</b>	Micro Bevel / Painted bevel
<b>Finish</b>	Antique Wood Texture
<b>Protect</b>	Stain & scratch resistance



# OSK8201-6



<b>Thickness</b>	4.0mm - 8.0mm
<b>Wear layer</b>	0.3mm (12mil) 0.5mm (20mil)
<b>Padding</b>	1.0mm / 1.5mm IXPE
<b>Edge Profile</b>	Micro Bevel / Painted bevel
<b>Finish</b>	Antique Wood Texture
<b>Protect</b>	Stain & scratch resistance



# OSK8211-1



<b>Thickness</b>	4.0mm - 8.0mm
<b>Wear layer</b>	0.3mm (12mil) 0.5mm (20mil)
<b>Padding</b>	1.0mm / 1.5mm IXPE
<b>Edge Profile</b>	Micro Bevel / Painted bevel
<b>Finish</b>	Antique Wood Texture
<b>Protect</b>	Stain & scratch resistance




# OSK8212-1



<b>Thickness</b>	4.0mm - 8.0mm
<b>Wear layer</b>	0.3mm (12mil) 0.5mm (20mil)
<b>Padding</b>	1.0mm / 1.5mm IXPE
<b>Edge Profile</b>	Micro Bevel / Painted bevel
<b>Finish</b>	Antique Wood Texture
<b>Protect</b>	Stain & scratch resistance



# OSK8212-2



<b>Thickness</b>	4.0mm - 8.0mm
<b>Wear layer</b>	0.3mm (12mil) 0.5mm (20mil)
<b>Padding</b>	1.0mm / 1.5mm IXPE
<b>Edge Profile</b>	Micro Bevel / Painted bevel
<b>Finish</b>	Antique Wood Texture
<b>Protect</b>	Stain & scratch resistance






## OSK8208&8209-1



<b>Thickness</b>	4.0mm - 8.0mm
<b>Wear layer</b>	0.3mm (12mil) 0.5mm (20mil)
<b>Padding</b>	1.0mm / 1.5mm IXPE
<b>Edge Profile</b>	Micro Bevel / Painted bevel
<b>Finish</b>	Antique Wood Texture
<b>Protect</b>	Stain & scratch resistance



# OSK8208&8209-4



<b>Thickness</b>	4.0mm - 8.0mm
<b>Wear layer</b>	0.3mm (12mil) 0.5mm (20mil)
<b>Padding</b>	1.0mm / 1.5mm IXPE
<b>Edge Profile</b>	Micro Bevel / Painted bevel
<b>Finish</b>	Antique Wood Texture
<b>Protect</b>	Stain & scratch resistance





## OSK8208&8209-6



<b>Thickness</b>	4.0mm - 8.0mm
<b>Wear layer</b>	0.3mm (12mil) 0.5mm (20mil)
<b>Padding</b>	1.0mm / 1.5mm IXPE
<b>Edge Profile</b>	Micro Bevel / Painted bevel
<b>Finish</b>	Antique Wood Texture
<b>Protect</b>	Stain & scratch resistance

